



FAQ / Application Note

Subject : Steps to install XP in SATA HDD

FAQ Document No: S12002

Date: 2012/02/07

Model Name. ECM-US15WP


Rev. A1

Category: General H/W S/W Others, install

Purpose :

Steps to install SATA driver and Windows XP in SATA HDD

Since SATA is from JMicron chipset, we have to install JMicron SATA driver before we install XP in SATA HDD.



Prepare materials

- 1, ECM-SU15WP
- 2, USB CD/DVD ROM
- 3, XP installation CD/DVD
- 4, SATA HDD
- 5, USB Floppy
- 6, Floppy with JMicron driver in root folder

名稱	大小	類型	修改日期
jraid.cat	41 KB	安全性目錄	2009/5/27 下午 01:39
Jraid.sys	87 KB	系統檔案	2009/5/27 下午 01:39
jraid_f.inf	4 KB	安裝資訊	2009/5/27 上午 10:03
txtsetup.oem	5 KB	OEM 檔案	2007/8/23 下午 03:12

Avalue Technology Inc.

7F, 228, Lian-Cheng Road, Chung Ho City, Taipei, Taiwan R.O.C.

www.avalue.com.tw
sales@avalue.com.tw
Tel:+886-2-82262345
Fax:+886-2-82262777

Avalue Europe
sales.europe@avalue.com.tw
Tel: +45-7025-0310
Fax: +45-4975-5026

Avalue USA
sales@avalue-usa.com
Tel: +1-732-578-0200
Fax: +1-732-578-0250


BCM Advanced Research
BCMSales@bcmcom.com
Tel: +1-949-470-1888
Fax: +1-949-470-0971

Avalue China
sales.china@avalue.com.cn
Tel: +86-21-5426-3399
Fax: +86-21-6495-0370



Steps below


1, set up BIOS to boot from USB CD/DVD



2, when you see the message in Windows Setup page, please press F6, then later the setup procedure will guide you to install SATA driver before you format SATA HDD and install XP in SATA drive.



3, ask you the path of SATA driver, please press S to find the SATA driver in Floppy.
if you didn't see this page, please go back to step 1.



4, choose driver for JMicron chipset

Avalue Technology Inc.

7F, 228, Lian-Cheng Road, Chung Ho City, Taipei, Taiwan R.O.C.

www.avalue.com.tw
sales@avalue.com.tw
Tel:+886-2-82262345
Fax:+886-2-82262777


Avalue Europe
sales.europe@avalue.com.tw
Tel: +45-7025-0310
Fax: +45-4975-5026

Avalue USA
sales@avalue-usa.com
Tel: +1-732-578-0200
Fax: +1-732-578-0250


BCM Advanced Research
BCMSales@bcmcom.com
Tel: +1-949-470-1888
Fax: +1-949-470-0971

Avalue China
sales.china@avalue.com.cn
Tel: +86-21-5426-3399
Fax: +86-21-6495-0370

www.avalue.com.tw



5, SATA driver install OK



6, start to install XP

Avalue Technology Inc.

www.avalue.com.tw
 sales@avalue.com.tw
 Tel:+886-2-82262345
 Fax:+886-2-82262777

Avalue Europe
 sales.europe@avalue.com.tw
 Tel: +45-7025-0310
 Fax: +45-4975-5026

Avalue USA
 sales@avalue-usa.com
 Tel: +1-732-578-0200
 Fax: +1-732-578-0250


BCM Advanced Research
 BCMSales@bcmcom.com
 Tel: +1-949-470-1888
 Fax: +1-949-470-0971

Avalue China
 sales.china@avalue.com.cn
 Tel: +86-21-5426-3399
 Fax: +86-21-6495-0370


7F, 228, Lian-Cheng Road, Chung Ho City, Taipei, Taiwan R.O.C.



7, you see there is a HDD



8, format SATA HDD



Avalue Technology Inc.

7F, 228, Lian-Cheng Road, Chung Ho City, Taipei, Taiwan R.O.C.

www.avalue.com.tw
sales@avalue.com.tw
Tel:+886-2-82262345
Fax:+886-2-82262777


Avalue Europe
sales.europe@avalue.com.tw
Tel: +45-7025-0310
Fax: +45-4975-5026

Avalue USA
sales@avalue-usa.com
Tel: +1-732-578-0200
Fax: +1-732-578-0250

BCM Advanced Research
BCMSales@bcmcom.com
Tel: +1-949-470-1888
Fax: +1-949-470-0971

Avalue China
sales.china@avalue.com.cn
Tel: +86-21-5426-3399
Fax: +86-21-6495-0370

9, copy XP files to SATA HDD



10, restart

11, start to install windows. When you see the windows installation page, you know you are in the right way.



12, In XP, install driver for SCSI and RAID controller.



Avalue Technology Inc.

www.avalue.com.tw
 sales@avalue.com.tw
 Tel:+886-2-82262345
 Fax:+886-2-82262777

Avalue Europe
 sales.europe@avalue.com.tw
 Tel: +45-7025-0310
 Fax: +45-4975-5026

Avalue USA
 sales@avalue-usa.com
 Tel: +1-732-578-0200
 Fax: +1-732-578-0250

7F, 228, Lian-Cheng Road, Chung Ho City, Taipei, Taiwan R.O.C.

BCM Advanced Research
 BCMSales@bcmcom.com
 Tel: +1-949-470-1888
 Fax: +1-949-470-0971

Avalue China
 sales.china@avalue.com.cn
 Tel: +86-21-5426-3399
 Fax: +86-21-6495-0370